



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/562,307	12/23/2005	Johan Adriaan Martens	50304/107001	3753
21559	7590	04/09/2009		
CLARK & ELBING LLP 101 FEDERAL STREET BOSTON, MA 02110			EXAMINER SILVERMAN, ERIC E	
			ART UNIT 1618	PAPER NUMBER
			NOTIFICATION DATE 04/09/2009	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentadministrator@clarkelbing.com

Office Action Summary

Application No.

10/562,307

Applicant(s)

MARTENS ET AL.

Examiner

ERIC E. SILVERMAN

Art Unit

1618

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 February 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 100-105 and 107-120 is/are pending in the application.
- 4a) Of the above claim(s) 109-119 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 100-105, 106-108, 120 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/808)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

The response filed 2/23/2009 was received. Claims 100-105 and 107-120 are pending; claims 109-119 are withdrawn; claims 100-105, 107, 108, and 120 are treated on the merits in this action.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 100-105, 107, 108 and 120 are rejected under 35 U.S.C. 102(b) as being anticipated by Kirschhock for reasons of record and those discussed below.

Response to Arguments

Applicants' arguments have been fully considered, but are not persuasive. Applicants argue that the prior art does not teach two levels of porosity. Applicants reason that the zeolites in the individual slabs have channels or pores, and that when the individual slabs are assembled, the assembly connects the channels of one subcomponent to the channels of the adjacent subcomponent. Applicants compare this to the products discussed in this Application, wherein a surfactant or polymer is included in the assembly solution to provide a separation between the slabs.

In response, the prior art assembly of nanoslabs is described as being a pin-in-hole type assembly. Tetrapropyl ammonium (TPA) has four propyl groups that provide the "pins" and the pore openings on the face of the nanoslabs are the "holes." This is illustrated in Figure 6, but it is easier to see these features in a color copy of the figure, which is available at the journal's online table of contents at: <http://www3.interscience.wiley.com/journal/85004095/issue> A color copy has also been placed in this Application file as an archive document.

The assembly of the slabs in the prior art is thus likened to assembling wood blocks with dowels. The TPA is similar to a small sphere (the nitrogen) with attached dowels (the propyl groups). The nanoslabs are like wood blocks with holes (pores) that receive the dowels. Following this analogy, the wood blocks cannot be assembled flush, because the knob in the middle of the dowels keeps them apart. In the same manner, the nanoslabs cannot be assembled flush, because the nitrogen atom requires space between the slabs. This space is the second level of porosity.

In an alternative interpretation, the zeolites themselves have a single layer of porosity. When assembled, however, the pores on the surface of the nanoslabs are partially obstructed by the propyl "pins" on TPA. These surface pores therefore have a different amount of volume from other pores, creating a second level of porosity.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ERIC E. SILVERMAN whose telephone number is (571)272-5549. The examiner can normally be reached on Monday to Thursday 7:00 am to 5:00 pm and Friday 7:00 am to noon.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Hartley can be reached on 571 272 0616. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Eric E Silverman/
Examiner, Art Unit 1618